

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://leitenberger.nt-rt.ru/> || bge@nt-rt.ru

GLOW PLUG

GLOW PLUG TESTER FOR 4.4 V AND 12 V GLOW PLUGS



item number :
GKP 05 (070607_1)

DESCRIPTION

- For quick, easy and professional identification of defective glow plugs
- The test is carried out in the installed state, no removal of the glow plug required
- Universally applicable for 4.4, V 5 V and 12 V spark plugs, such as rod and ceramic spark plugs and ISS (Instant Start System) for cars, commercial vehicles and industrial diesel engines
- The status of the glow plugs is indicated by 2 LEDs (green/red)
- Optical displays for "Device ON", "Low Batt"; "Glow plug ok" and "Glow plug defective"
- Connection for glow plug and earth via robust terminals
- Automatic device switch-off
- Power supply 9 V block battery
- Technical data:
 - Dimensions L x W x H: 120 x 60 x 40 mm
 - Weight 150 g
 - Power supply: 9 V block battery
- **SCOPE OF DELIVERY**
- 1 glow plug tester
- 2 connecting cables each 1.00 m long (3 ft)

GLOW PLUG REMOVAL TOOL (HEX 10MM)



item number :

GAN 01_SW10_LR (400021_2)

DESCRIPTION

- For quick, easy and professional unscrewing and at the same time pulling/knocking out stuck glow plugs
- Universally suitable for diesel vehicles with size 8 spark plugs, e.g. Mercedes CDI engines OM 611, 612, 613, 646 *, 647 and 648 etc. (* not for 646 EVO)
- Particularly suitable for glow plugs that have been unscrewed but are stuck in the shaft due to coking or a defective thread
- Even very tight spark plugs can be loosened and removed by applying blows with the impact weight while at the same time applying the maximum permissible release force using the size 19 hex wrench
- Due to the special design, the torque and traction is only exerted on the drive hexagon of the glow plug
- No rupturing of the centre electrode
- Particularly stable and high quality stainless steel design
- All individual parts are available as spare parts
- *EQUIPMENT*
- GS 01 (400022_2) Impact weight
- AF 01 (400023_2) Screw-on guide

GLOW PLUG REMOVAL TOOL (HEX 9MM)



item number :

GAN 01_SW9_LR (400020_2)

DESCRIPTION

- For quick, easy and professional unscrewing and at the same time pulling/knocking out stuck glow plugs
- Universally suitable for diesel vehicles with size 8 glow plugs
- Particularly suitable for glow plugs that have been unscrewed but are stuck in the shaft due to coking or a defective thread
- Even very tight spark plugs can be loosened and removed by applying blows with the impact weight while at the same time applying the maximum permissible release force using the size 19 hex wrench
- Due to the special design, the torque and traction is only exerted on the drive hexagon of the glow plug

- No rupturing of the centre electrode
- Particularly stable and high quality stainless steel design
- All individual parts are available as spare parts

- *EQUIPMENT*

- GS 01 (400022_2) Impact weight
- AF 01 (400023_2) Screw-on guide

GLOW PLUG REMOVAL TOOL (HEX 8MM)



item number :

GAN 01_SW8_LR (400019_2)

DESCRIPTION

- For quick, easy and professional unscrewing and at the same time pulling/knocking out stuck glow plugs
- Universally suitable for diesel vehicles with size 8 glow plugs, e.g. Mercedes: OM642, OM651, OM640; Fiat / Lancia / Opel 1.3 JTD / CDTi; PSA: 2.2 (DW12), 1.4 (DV4 8V), 1.6 (DV6 8V + 16V), 2.7 (DT17) and VW 2.5 TDI.
- Particularly suitable for glow plugs that have been unscrewed but are stuck in the shaft due to coking or a defective thread.
- Even very tight spark plugs can be loosened and removed by applying blows with the impact weight while at the same time applying the maximum permissible release force using the size 19 hex wrench.
- Due to the special design, the torque and traction is only exerted on the drive hexagon of the glow plug.
- No rupturing of the centre electrode.
- Particularly stable and high quality stainless steel design
- All individual parts are available as spare parts

- *EQUIPMENT*

- GS 01 (400022_2) Impact weight
- AF 01 (400023_2) Screw-on guide

GLOW PLUG REMOVAL TOOL SET (HEX 8, 9, 10MM)

item number :

GAN-Set 01_LR (400091_1)



DESCRIPTION

- For quick, easy and professional unscrewing and at the same time pulling/knocking out stuck glow plugs
 - Universally suitable for diesel vehicles with size 8, 9 or 10 glow plugs
 - Particularly suitable for glow plugs that have been unscrewed but are stuck in the shaft due to coking or a defective thread
 - Even very tight spark plugs can be loosened and removed by applying blows with the impact weight while at the same time applying the maximum permissible release force using the size 19 hex wrench
 - Due to the special design, the torque and traction is only exerted on the drive hexagon of the glow plug
 - No rupturing of the centre electrode
 - Particularly stable and high quality stainless steel design
 - All individual parts are available as spare parts
- **SCOPE OF DELIVERY**
 - GAN 01_SW 8 (400019_2) Glow plug removal tool hex 8 mm
 - GAN 01_SW 9 (400020_2) Glow plug removal tool hex 9 mm
 - GAN 01_SW 10 (400021_2) Glow plug removal tool hex 10 mm
 - GS 01 (400022_2) Slide hammer
 - AF 01 (400023_2) Guide rod

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://leitenberger.nt-rt.ru/> || bge@nt-rt.ru